



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/631,988	07/31/2003	Gregory Marlan	499.750US1	2188
21186	7590	02/06/2008		
SCHWEGMAN, LUNDBERG & WOESSNER, P.A. P.O. BOX 2938 MINNEAPOLIS, MN 55402			EXAMINER DARE, RYAN A	
			ART UNIT	PAPER NUMBER
			2186	
			MAIL DATE	DELIVERY MODE
			02/06/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/631,988

Applicant(s)

MARLAN ET AL.

Examiner

Ryan Dare

Art Unit

2186

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 August 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-40 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-40 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application
- ☐ Other: _____

DETAILED ACTION

Response to Arguments

1. Applicant's arguments, see the appeal brief, filed 8/13/07 with respect to claims 1-40 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn and prosecution on the merits is reopened. A new ground(s) of rejection is made in view of Hughes et al., US Patent 6427193 and Ghose et al., US PGPub 2002/0004842.

Claim Objections

2. Claim 31 is objected to because of the following informalities: In the last line, "acknowledgments" is plural when it should be singular. Appropriate correction is required.

3. Claims 1-40 are objected to because they do not have a consistent spelling of the word "acknowledgment." While both "acknowledgment" and "acknowledgement" are proper spellings, Applicant should remain consistent with one spelling in the claims in order to avoid problems with lack of antecedent basis.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Art Unit: 2186

5. Claims 34-40 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Upon review of the specification, it is determined that the term "computer storage medium" is not defined. "Machine-readable medium" is defined in the third paragraph of the detailed description section of the specification. The Examiner suggests Applicant define computer storage medium in this paragraph as a hardware medium which includes the storage mediums listed in this paragraph, but excludes signals.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Art Unit: 2186

3. Claims 1-40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hughes et al., US Patent 6427193, in view of Ghose et al., US PGPub 2002/0004842.

4. With respect to claim 1, Hughes et al. teach an apparatus comprising:

a load/store unit that includes a retry logic that is to retry access to a resource after receipt of a negative acknowledgement for an attempt to access the resource by the load/store unit, in col. 39, lines 20-32.

Hughes et al. fail to disclose the congestion detection logic of claim 1. Ghose teaches a congestion detection logic to output a signal that indicates that the resource is congested based on receipt of a consecutive number of negative acknowledgements in response to access requests to the resource, in par. 154.

5. It would have been obvious to one of ordinary skill in the art, having the teachings of Hughes et al. and Ghose. before him at the time the invention was made to combine the resource access apparatus of Hughes et al. with the resource access apparatus of Ghose in order to eliminate deadlock problems and allow multiple processors to complete their memory operations as taught by Hughes et al. in the last three lines of the abstract.

6. With respect to claim 2, Ghose teaches the apparatus of claim 1 further comprising a congestion control logic to disable the retry logic from retry accesses to the resource based on receipt of the signal from the congestion detection logic, in par. 154.

7. With respect to claim 3, Ghose teaches to wait an amount of time while the resource is congested as discussed supra, but fails to teach an exponential delay.

Art Unit: 2186

Hughes et al. teach an exponential delay in the abstract, where it says "the processor is configured to increase the backoff time at an exponential rate." The backoff time refers to the time before retrying to access the resource.

8. With respect to claim 4, Ghose teaches to wait an amount of time while the resource is congested as discussed supra, but fails to teach an exponential delay.

Hughes et al. teach to exponentially decrease the delay after the congestion detection logic receives a number of positive acknowledgements in response to access requests to the resource in the abstract

9. With respect to claim 5, Hughes et al. teach a processor comprising:

a functional unit to attempt to access data from memory coupled to the processor based on an access request, in figure 1 and col. 10, lines 1-2, wherein the functional unit is to retry attempts to access of the data based on other access of the data based on other access requests after receipt of a negative acknowledgement in response to the attempt to access the data, in col. 39, lines 20-32.

Hughes fails to teach the congestion detection logic of claim 5. Ghose teaches a congestion detection logic to detect congestion of access of the data based on receipt of a consecutive number of negative acknowledgments that exceed a threshold prior to access of the data, in par. 154.

Hughes et al. teach a congestion control logic to disable the functional unit from attempts to access the data for a time period after the congestion is detected in col. 39, lines 6-23. Ghose also teaches this in par. 154.

Art Unit: 2186

10. It would have been obvious to one of ordinary skill in the art, having the teachings of Hughes et al. and Ghose before him at the time the invention was made to combine the resource access apparatus of Hughes et al. with the resource access apparatus of Ghose in order to eliminate deadlock problems and allow multiple processors to complete their memory operations as taught by Hughes et al. in the last three lines of the abstract.

11. With respect to claim 6, Hughes et al. teach the processor of claim 5, wherein the congestion control logic is to exponentially increase the time period after the congestion detection logic is to detect congestion while access to the other data in the memory is congested, in the abstract, where it says "the processor is configured to increase the backoff time at an exponential rate." The backoff time refers to the time before retrying to access the resource.

12. With respect to claim 7, Ghose teaches to wait an amount of time while the resource is congested as discussed supra, but fails to teach an exponential delay. Hughes et al. teach to exponentially decrease the delay after the congestion detection logic receives a number of positive acknowledgements in response to access requests to the resource in the abstract

13. With respect to Claim 8, Hughes et al. teach a processor comprising:
a functional unit to attempt to access a cache line in a cache memory coupled to the processor based on an access request, in figure 1 and col. 10, lines 1-2, wherein the functional unit is to retry attempts to access of the data based on other access of the

Art Unit: 2186

data based on other access requests after receipt of a negative acknowledgement in response to the attempt to access the data, in col. 39, lines 20-32.

a congestion control logic to disable the functional unit from attempts to access the data for a time period after the congestion is detected in par. 154.

Hughes et al. fail to teach that the congestion detection logic is based on an average number of negative acknowledgements received that exceed a threshold prior to access of the data. Ghose teaches using an average number of negative acknowledgements in par. 154.

14. It would have been obvious to one of ordinary skill in the art, having the teachings of Hughes et al. and Ghose before him at the time the invention was made to combine the resource access apparatus of Hughes et al. with the resource access apparatus of Ghose in order to eliminate deadlock problems and allow multiple processors to complete their memory operations as taught by Hughes et al. in the last three lines of the abstract.

15. With respect to claim 9, Ghose teaches the processor of claim 8, wherein the average number of negative acknowledgements is within a window and wherein the congestion detection logic is to move the window over time of attempts, in par. 59.

16. With respect to claim 10, Ghose teaches the processor of claim 8, wherein the congestion control logic is to exponentially increase the time period after the congestion detection logic is to detect congestion while access of other cache lines in the cache memory is congested, in par. 66. Although the resource by Ghose is not a cache line in

Art Unit: 2186

a cache memory, Hughes et al. teach that the resource can be a cache line in a cache memory as discussed in the parent claim.

17. With respect to claim 11, Ghose teaches to wait an amount of time while the resource is congested as discussed supra, but fails to teach an exponential delay.

Hughes et al. teach to exponentially decrease the delay after the congestion detection logic receives a number of positive acknowledgements in response to access requests to the resource in the abstract

18. With respect to claim 12, Hughes et al. teach a system comprising:

a cache memory to store data, in fig. 25, L2 Cache 228; and

a first processor to attempt to access the data from the cache memory based on access requests, in fig. 25, Processor 10.

Hughes et al. fail to disclose the congestion detection logic of claim 12. Ghose teaches a congestion detection logic to output a signal that indicates that the resource is congested based on receipt of a consecutive number of negative acknowledgements in response to access requests, in pars. 154.

19. It would have been obvious to one of ordinary skill in the art, having the teachings of Hughes et al. and Ghose. before him at the time the invention was made to combine the resource access apparatus of Hughes et al. with the resource access apparatus of Ghose in order to eliminate deadlock problems and allow multiple processors to complete their memory operations as taught by Hughes et al. in the last three lines of the abstract.

Art Unit: 2186

20. With respect to claim 13, Hughes et al. teach the system of claim 12 further comprising:

a second processor associated with the cache memory, in fig. 25, Processor 10a;
a hub controller to receive the access requests from the first processor, the hub controller to forward the access requests to the second processor, wherein the second processor is to determine whether the data in the cache memory is accessible, in fig. 25, Bus Bridge 202. The bus bridge acts as a hub controller in col. 43, lines 15-25.

21. With respect to claim 14, Hughes et al. teaches the system of claim 13, wherein the second processor is to transmit a negative acknowledgement back to the first processor through the hub controller if the data is not accessible, the second processor to transmit a positive acknowledgment back to the first processor through the hub controller if data is accessible, in col. 43, lines 15-25. Note that all requests are channeled through the bus bridge.

22. With respect to claim 15, Hughes et al. teach the system of claim 12, wherein the first processor further comprises a congestion control logic to disable the first processor from transmitting the access requests if the congestion detection logic determines that access to the data is congested, in col. 39, lines 20-32.

23. With respect to claim 16, Hughes et al. teach the system of claim 12, wherein the congestion control logic is to disable the first processor from transmitting the access requests for a time period, wherein the time period is based on an exponential back off delay operation, in the abstract.

24. With respect to claim 17, Hughes et al. teach a system comprising:

a resource, in fig. 25, L2 Cache 228; and

a first processor having a load/store function unit, the load/store functional unit to attempt to access the resource based on access requests, in fig. 25, Processor 10 and fig. 2, Load/Store Unit 26.

Hughes et al. fail to disclose the congestion detection logic of claim 17. Ghose teaches a congestion detection logic to detect congestion of access of the resource based on a consecutive number of negative acknowledgements received in response to the access requests prior to receipt of a positive acknowledgement in response to one of the access requests within a first time period, in pars. 154.

25. It would have been obvious to one of ordinary skill in the art, having the teachings of Hughes et al. and Ghose before him at the time the invention was made to combine the resource access apparatus of Hughes et al. with the resource access apparatus of Ghose in order to eliminate deadlock problems and allow multiple processors to complete their memory operations as taught by Hughes et al. in the last three lines of the abstract.

26. With respect to claim 18, Hughes et al. teach the system of claim 17, further comprising:

a second processor associated with the resource, in fig. 25, Processor 10a;

a hub controller to receive the access requests from the first processor, the hub controller to forward the access requests to the second processor, wherein the second processor is to determine whether the resource is accessible, in fig. 25, Bus Bridge 202. The bus bridge acts as a hub controller in col. 43, lines 15-25.

Art Unit: 2186

27. With respect to claim 19, Hughes et al. teaches the system of claim 18, wherein the second processor is to transmit a negative acknowledgement back to the first processor through the hub controller if the resource is not accessible, the second processor to transmit a positive acknowledgment back to the first processor through the hub controller if resource is accessible, in col. 43, lines 15-25, particularly the embodiment where the cache control logic is in the bus bridge, and controls the external cache.

28. With respect to claim 20, Hughes et al. teach the system of claim 17, wherein the first processor further comprises a congestion control logic to disable the load/store functional unit from attempting to access the resource if the congestion detection logic is to detect congestion of access of the resource, in col. 29, lines 20-32

29. With respect to claim 21, Hughes et al. teach the system of claim 17, wherein the congestion control logic is to disable the load/store unit from attempts to access the resource for a second time period, wherein the second time period is based on an exponential back off delay, in the abstract.

30. With respect to claim 22, Hughes et al. teach a system comprising:
a cache memory to include a number of cache lines for storage of data, in col. 39, lines 6-9.

At least two processors, wherein a first processor of the at least two processors is to attempt to access the data in one of the number of cache lines based on access requests, in col. 39, lines 6-9.

Hughes et al. fails to teach that the congestion detection logic to detect congestion of access of a first cache line of the number of cache lines based on a ratio of a number of negative acknowledgments to a number of positive acknowledgments received in response to the access requests. Ghose teaches this in par. 154.

31. It would have been obvious to one of ordinary skill in the art, having the teachings of Hughes et al. and Ghose before him at the time the invention was made to combine the resource access apparatus of Hughes et al. with the resource access apparatus of Ghose in order to eliminate deadlock problems and allow multiple processors to complete their memory operations as taught by Hughes et al. in the last three lines of the abstract.

32. With respect to claim 23, Hughes et al. teach the system of claim 22, wherein a second processor of the at least two processors is associated with the cache memory and wherein the system further comprises a hub controller, the hub controller to receive the access requests from the first processor, the hub controller to forward the access requests to the second processor, wherein the second processor is to determine whether the one of the number of cache lines is accessible, in fig. 25, Processor 10a and Bus Bridge 202. The bus bridge acts as a hub controller in col. 43, lines 15-25.

33. With respect to claim 24, Hughes et al. teach the system of claim 23, wherein the second processor is to transmit a negative acknowledgement back to the first processor through the hub controller if the one of the number of cache lines is not accessible, the second processor to transmit a positive acknowledgement back to the first processor

Art Unit: 2186

through the hub controller if the one of the number of cache lines is accessible, in col. 43, lines 15-25. Note that all requests are channeled through the bus bridge.

34. With respect to claim 25, Hughes et al. teach the system of claim 22, wherein the first processor further comprises a congestion control logic to disable, for a time period, the first processor to attempt to access the data if the congestion detection logic is to detect congestion of access of the first cache line, in col. 39, lines 20-32.

35. With respect to claim 26, Hughes et al. teach the system of claim 25, wherein the congestion control logic is to exponentially increase the time period after the congestion detection logic is to detect congestion while access to other cache lines in the cache memory, in the abstract.

36. With respect to claim 27, Hughes et al. teach a method comprising:

transmitting access requests, by a first processor, to access data in a memory, in col. 39, lines 6-9;

Hughes fails to teach the congestion detection logic based on a consecutive number of negative acknowledgments. Ghose teaches receiving, by the first processor, a positive acknowledgement or a negative acknowledgment from a second processor that is associated with the memory based on the number of access requests, in par. 154; and

detecting congestion of the data based on receipt, by the first processor, of a consecutive number of negative acknowledgements that exceed a first threshold, prior to receipt, by the first processor, of a positive acknowledgment, in par. 154.

Art Unit: 2186

37. It would have been obvious to one of ordinary skill in the art, having the teachings of Hughes et al. and Ghose before him at the time the invention was made to combine the resource access apparatus of Hughes et al. with the resource access apparatus of Ghose in order to eliminate deadlock problems and allow multiple processors to complete their memory operations as taught by Hughes et al. in the last three lines of the abstract.

38. With respect to claim 28, Hughes et al. teaches controlling access to the data in the memory in col. 39, lines 20-32, but fails to teach that it is due to a consecutive number of negative acknowledgements, received by the first processor, exceeds the first threshold, prior to receipt of the positive acknowledgement. Ghose teaches this in par. 154.

39. With respect to claim 29, Hughes et al. teaches the method of claim 28, wherein controlling access to the data in the memory comprises disabling transmitting of the access requests, by the first processor, for a time period, in col. 39, lines 20-32.

40. With respect to claim 30, Hughes et al. teaches the method of claim 29, wherein controlling access to the resource comprises exponentially increasing the time period upon determining that the congestion is detected for other data in the memory while the time period has not expired, in col. 39, lines 20-32

41. With respect to claim 31, Hughes et al. teaches a method comprising:
accessing, by at least one processor, a resource based on an access request, in col. 39, lines 26-69;

Art Unit: 2186

Hughes fails to teach the congestion detection logic based on the consecutive number of negative acknowledgements. Ghose teaches:

receiving a positive acknowledgement if the resource is accessible, in par. 154;

receiving a negative acknowledgement if the resource is not accessible, in par.154;

retrying accessing, by the at least one processor, of the resource based on a number of access requests, in par. 154;

detecting that a consecutive number of negative acknowledgements exceeds a first threshold within a time period, prior to receiving a positive acknowledgment, in par. 154.

42. It would have been obvious to one of ordinary skill in the art, having the teachings of Hughes et al. and Ghose before him at the time the invention was made to combine the resource access apparatus of Hughes et al. with the resource access apparatus of Ghose in order to eliminate deadlock problems and allow multiple processors to complete their memory operations as taught by Hughes et al. in the last three lines of the abstract.

43. With respect to claim 32, Hughes et al. teaches controlling access to the resource by the at least one processor, in col. 39, lines 20-32, but fails to teach that the controlling of access has to do with the receipt of a consecutive number of negative acknowledgments. Ghose. teaches the congestion detection logic based upon the consecutive number of negative acknowledgements, exceeds the first threshold, prior to receipt of the positive acknowledgement, in pars. 154.

Art Unit: 2186

44. With respect to claim 33, Hughes et al. teach the method of claim 31, wherein controlling access to the resource comprises disabling transmitting of the access requests, by the first processor, for a time period, in col. 29, lines 20-32.

45. With respect to claim 34, Hughes et al. teach a computer storage medium that provides instructions, which when executed by a machine, cause said machine to perform operations comprising:

transmitting access requests, by a first processor, to access data in a memory, in col. 39, lines 6-9;

Hughes fails to teach the congestion detection logic based on consecutive number of negative acknowledgments. Ghose teaches:

receiving, by the first processor, a positive acknowledgement or a negative acknowledgment from a second processor that is associated with the memory based on one of the number of access requests, in par. 154.

detecting congestion of the data based on receipt, by the first processor, of a consecutive number of negative acknowledgements that exceed a first threshold, prior to receipt, by the first processor, of a positive acknowledgment, in par. 154.

46. It would have been obvious to one of ordinary skill in the art, having the teachings of Hughes et al. and Ghose before him at the time the invention was made to combine the resource access apparatus of Hughes et al. with the resource access apparatus of Ghose in order to eliminate deadlock problems and allow multiple processors to complete their memory operations as taught by Hughes et al. in the last three lines of the abstract.

Art Unit: 2186

47. With respect to claim 35, Hughes et al. teaches controlling access to the data in the memory in col. 39, lines 20-32, but fails to teach that it is due to a consecutive number of negative acknowledgements, received by the first processor, exceeds the first threshold, prior to receipt of the positive acknowledgement. Ghose teaches receiving a consecutive number of negative acknowledgements, prior to receiving a positive acknowledgement in par. 154.

48. With respect to claim 36, Hughes et al. teaches the computer storage medium of claim 35, wherein controlling access to the data in the memory comprises disabling transmitting of the access requests, by the first processor, for a time period, in col. 39, lines 20-32.

49. With respect to claim 37, Hughes et al. teaches the computer storage medium of claim 36, wherein controlling access to the resource comprises exponentially increasing the time period upon determining that the congestion is detected for other data in the memory while the time period has not expired, in col. 39, lines 20-32

50. With respect to claims 38-40, Applicant claims a computer storage medium that provides instructions which performs the method of claims 34-36 and is therefore rejected using similar logic.

Conclusion

Art Unit: 2186

51. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ryan Dare whose telephone number is (571)272-4069.

The examiner can normally be reached on Mon-Fri 9:30-6.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matt Kim can be reached on (571)272-4182. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Ryan Dare/
Ryan Dare
February 4, 2008



MATTHEW KIM
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100